



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/526,479	04/08/2005	Duncan McGregor	GRT/117-533	4224
23117 7590 12/03/2008 NIXON & VANDERHYE, PC 901 NORTH GLEBE ROAD, 11TH FLOOR ARLINGTON, VA 22203				
EXAMINER				
EPPS FORD, JANET L				
ART UNIT		PAPER NUMBER		
1633				
MAIL DATE		DELIVERY MODE		
12/03/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Response to Amendment

1. The reply filed on 8/21/08 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):
2. In the Office Action filed 10-05-07, the following was previously set forth:

Drawings

3. The drawings remain objected to under 37 CFR 1.83(a) because they fail to show details as described in the specification. Specifically, drawings 6, 8, and 9 all comprise multiple bar graphs representing the results of multiple experiments. However, there are multiple columns without shading, and therefore one is unable to determine from the graph, the figure legend or the description of the drawings in the specification which column refers to which specific experimental data set. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each

drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. In response, applicants have provided three separate replies. The first and last replies filed in 1-04-08, and 8-21-08 respectively, provided sets of replacement drawings. However, the details of the figures as required above were not clearly set forth. As stated above, drawings 6, 8, and 9 all comprise multiple bar graphs representing the results of multiple experiments. However, one is unable to determine from the graph, the figure legend or the description of the drawings in the specification which column refers to which specific experimental data set. The drawings provided 5-02-08 by Applicants, set forth the data in drawings 6, 8, and 9 in a distinguishable manner, however the drawings did not provide the appropriate label as "Replacement Sheets."

5. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. **EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).**

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Janet L. Epps-Ford whose telephone number is 571-272-0757. The examiner can normally be reached on M-F, 10:00 AM through 6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Woitach can be reached on 571-272-0739. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Janet L. Epps-Ford/
Primary Examiner, Art Unit 1633